

RECEIVED
CENTRAL FAX CENTER

DEC 05 2005

Certificate

DEC 08 2005

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

of Correction

Applicant: Charles Abraham

Patent No.:

6,891,880 B2

Issue Date:

May 10, 2005

Docket No: GLBL/015P3

Title: METHOD AND APPARATUS FOR PERFORMING SIGNAL CORRELATION


Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

We are transmitting herewith the attached:

- ☒ Request for Certificate of Correction.
- ☒ Certificate of Correction Form - PTO-1050 (in duplicate)

Please charge any additional fees or credit overpayment to Deposit Account No. 50-3562.


Respectfully submitted,


Raymond R. Moser Jr.
Reg. No. 34,682
(732) 935-7100
Moser IP Law Group
1040 Broad Street
2nd Floor
Shrewsbury, New Jersey 07702
Attorney for Applicant

CERTIFICATE OF TRANSMISSION UNDER 37 C.F.R. 1.8

I hereby certify that this correspondence is being transmitted by facsimile to the Mail Stop _____ Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450 on _____ Facsimile No. (571) 273-8300.

Dated: 12/5/05


Kerry Johnson

Total pages submitted: 4

16238-1

DEC 08 2005

RECEIVED
CENTRAL FAX CENTER

DEC 05 2005

Patent 6,891,880

PATENT

IN UNITED STATES PATENT AND TRADEMARK OFFICE

Patent No.: 6,891,880 *B2*

Docket No: GLBL/015P3

Issue Date: May 10, 2005

Patentee: Charles Abraham

Title METHOD AND APPARATUS FOR PERFORMING SIGNAL CORRELATION

REQUEST FOR CERTIFICATION OF CORRECTION

Certificate of Correction Branch
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450


It is requested that a Certificate of Correction be issued correcting printing errors appearing in the above-identified United States patent. Two copies of the text of the Certificate in the suggested form are enclosed.

Issuance of the Certificate of Correction would neither expand nor contract the scope of the claims as properly allowed, and re-examination is not required.

As the error is that of the Patent Office, It is believed that no fee is due.

The Examiner is authorized to charge any additional fees or credit overpayment to Deposit Account No. 50-3562.

Respectfully submitted,



Raymond B. Moser Jr.

Reg. No. 34,682

(732) 935-7100

Moser IP Law Group

1040 Broad Street

2nd Floor

Shrewsbury, New Jersey 07702

Attorney for Applicant

DEC 08 2005

PTO/SB/44 (02-01)

Approved for use through 01/31/2004. OMB 0651-0033

U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.
(Also Form PTO-1050)

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO : 6,891,880 *B2*

DATED : May 10, 2005

INVENTOR(S) : Charles Abraham

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In column 5, line 35, after "similar" insert -- characteristic, since the timing of the decimation operation ensures that samples are --.

PTO/SB/44 (02-01)

Approved for use through 01/31/2004. OMB 0851-0033

U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.
(Also Form PTO-1050)

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO : 6,891,880 *B2*

DATED : May 10, 2005

INVENTOR(S) : Charles Abraham

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In column 5, line 35, after "similar" insert - - characteristic, since the timing of the decimation operation ensures that samples are - - .

16238-1

DEC 08 2005